

Serial No. 10/803,474

Docket No. 2450/1560PUS1

Reply to Office Action dated December 14, 2007RECEIVED  
CENTRAL FAX CENTER

MAR 13 2008

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A computer chassis apparatus comprising:  
a chassis frame comprising a set-plurality of load-bearing rails extending from a front frame to a rear frame and located on edges of the frame; and  
a plurality of protrusions formed on tops of the load-bearing rails and supporting a chassis cover mounted to the chassis frame over the protrusions and to laterally secure a removable structure to the chassis frame in at least two directions by coupling the protrusions with portions of the structure formed in the same shape as the protrusions, to be secured thereover.
2. (Original) The apparatus of claim 1, wherein the chassis frame is for a small form factor computer.
3. (Canceled)
4. (Previously Presented) The apparatus of claim 1, wherein each protrusion has a flat top surface to support the chassis cover.
5. (Previously Presented) The apparatus of claim 1, wherein each protrusion is formed integrally into a load-bearing rail of the chassis frame.
6. (Previously Presented) The apparatus of claim 1, wherein each protrusion is mounted to a load-bearing rail of the chassis frame.
- 7-8. (Canceled)

Serial No. 10/803,474

Docket No. 2450/1560PUS1Reply to Office Action dated December 14, 2007

9. (Previously Presented) The apparatus of claim 1, wherein the removable structure is configured to house at least one computer component.

10. (Previously Presented) The apparatus of claim 1, wherein the portions of the structure comprise protrusions corresponding to the protrusions of the chassis frame.

11-12. (Canceled)

13. (Currently Amended) A computer chassis comprising:

a computer chassis frame;

a chassis cover for fitting over the computer chassis frame;

means for supporting the chassis cover when fitted over the computer chassis frame, said means extending from a front of said chassis frame to a rear of said chassis frame and being located on a top surface of said computer chassis frame; and

a removable structure adapted to be installed within the computer chassis frame and configured to house at least one computer component, the removable structure configured to be secured over the means for supporting the chassis cover and have a similar shape, thereby securing the removable structure to the computer chassis frame in at least two directions.

14. (Previously Presented) A computer chassis apparatus comprising:

a computer chassis frame for a form factor computer comprising at least two upward facing surfaces and extending from a front of said frame to a rear of said frame;

a plurality of oblong rounded domes formed into the upward facing surfaces of the computer chassis frame and distributed evenly along the surfaces and positioned to support a chassis cover for the computer chassis frame; and

a removable drive frame for supporting a plurality of drives of different sizes adapted to be installed within the computer chassis, the removable drive frame comprising interface structures corresponding to each rounded dome, each interface structure configured in a similar

Serial No. 10/803,474

Docket No. 2450/1560PUS1

Reply to Office Action dated December 14, 2007

shape to said oblong rounded domes to be secured over each rounded dome thereby laterally securing the removable structure to the chassis frame in at least two directions.

15. (Canceled)